

## Torque screwdriver - TSD 04 SAC - 1208429

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://download.phoenixcontact.com>)



Torque screwdriver, with preset torque of 0.4 Nm and 4 mm hexagonal drive for M12 connectors

### Why buy this product

- Wide range of SAC... nuts for various different applications
- TSD ... SAC torque screwdrivers with a range of preset torques from 0.2 Nm to 2.5 Nm
- For the TSD-M... torque screwdrivers, the torque can be custom-set
- The TSD-M... adapters can accommodate the various nuts

### Key commercial data

Packing unit	1
Minimum order quantity	1
Catalog page	Page 292 (CL2-2011)
GTIN	 4 046356 014519
Custom tariff number	82054000
Country of origin	CZECH REPUBLIC

### Technical data

#### General

Length (b)	205 mm
Width (a)	37 mm
Color	black
Design	Hexagonal SW4
Blade height	100 mm

### Classifications

#### eclass

eCl@ss 4.0	21040401
eCl@ss 4.1	21040401
eCl@ss 5.0	21040401
eCl@ss 5.1	21040401
eCl@ss 6.0	21040401

# Torque screwdriver - TSD 04 SAC - 1208429

## Classifications

### eclass

eCl@ss 7.0	21040409
------------	----------

### etim

ETIM 2.0	EC000158
ETIM 3.0	EC000158
ETIM 4.0	EC000158

### unspsc

UNSPSC 6.01	27111701
UNSPSC 7.0901	27111701
UNSPSC 11	27111701
UNSPSC 12.01	27111701
UNSPSC 13.2	27111701

## Approvals

### Approvals

---

Approvals

GOST

---

Ex Approvals

---

Approvals submitted

---

### Approval details



## Accessories

### Accessories

#### Tools

Tool - SAC BIT M12-D15 - 1208432



Nut for assembling sensor/actuator cables with M12 connector and for M12 connectors with QUICKON fast connection technology, for 4 mm hexagonal drive

## Torque screwdriver - TSD 04 SAC - 1208429

### Accessories

---

Tool - SACC BIT M12-D20 - 1208445



Nut for assembling SACC M12 connectors for free assembly, excluding M12 connectors with QUICKON fast connection technology, for 4 mm hexagonal drive

---